POLICE TRAINING COLLEGE KALABURAGI

7TH BATCH RSI/SPL.RSI -102 BASIC TRAINING OUTDOOR CONSOLIDATED FINAL RESULT ANNOUNCE DATE-19-10-2022

PT/Obstacle/Yoga 100/50

SL. No	Name	Ch No	Desig	P-1	P-1 Converted to 100	P-2	P-3	average	Midterm	Mid converted to 100	Final	P-10%	M-30%	F-60%	Total Weightage	Total Marks Obtained
1	Shivaraj Bhirade	301	SRSI	28.0	50.9	68.0	79.0	73.5	51.5	60.6	60.5	7.4	18.2	36.3	61.8	61.8
2	Arun kumar.k	302	SRSI	39.0	70.9	67.0	81.0	76.0	55.5	65.3	75.5	7.6	19.6	45.3	72.5	72.5
3	Anil kumar.k	303	SRSI	40.5	73.6	62.0	82.0	77.8	55.0	64.7	77.0	7.8	19.4	46.2	73.4	73.4
4	Manjunath.S.Kuragod	304	RSI	38.5	70.0	67.0	85.0	77.5	59.0	69.4	75.0	7.8	20.8	45.0	73.6	73.6
5	Suresh.N	305	RSI	41.0	74.5	70.0	85.0	79.8	58.5	68.8	77.5	8.0	20.6	46.5	75.1	75.1
6	Siddaraj Athani	306	SRSI	36.0	65.5	69.0	80.0	74.5	51.5	60.6	80.0	7.5	18.2	48.0	73.6	73.6
7	Basavant Burani	307	SRSI	27.5	50.0	62.0	61.0	61.5	39.5	46.5	74.5	6.2	13.9	44.7	64.8	64.8
8	Ajay.R	308	SRSI	42.0	76.4	64.0	22.0	70.2	55.5	65.3	77.0	7.0	19.6	46.2	72.8	72.8
9	Nagendra Kumar T.C	309	RSI	38.5	70.0	66.0	86.0	78.0	50.0	58.8	78.0	7.8	17.6	46.8	72.2	72.2
10	Vitthal . B . Marchandi	310	SRSI	41.5	75.5	70.0	78.0	76.7	48.0	56.5	76.0	7.7	16.9	45.6	70.2	70.2
11	Mutteppa.B.Kadkol	311	RSI	48.0	87.3	74.0	91.0	89.1	63.5	74.7	83.5	8.9	22.4	50.1	81.4	81.4
12	Ranjith . R	312	SRSI	35.5	64.5	68.0	85.0	76.5	51.5	60.6	62.0	7.7	18.2	37.2	63.0	63.0
13	Jafar Almelkar	313	SRSI	34.0	61.8	68.0	73.0	70.5	53.0	62.4	76.0	7.1	18.7	45.6	71.4	71.4
14	Harisha.K.L	314	SRSI	42.0	76.4	67.0	87.0	81.7	54.5	64.1	69.0	8.2	19.2	41.4	68.8	68.8
15	Naveen Kumar.M.G	315	SRSI	32.5	59.1	64.0	75.0	69.5	45.5	53.5	67.0	7.0	16.1	40.2	63.2	63.2
16	Vasanth Kumar . S	316	SRSI	38.0	69.1	66.0	83.0	76.0	57.5	67.6	75.5	7.6	20.3	45.3	73.2	73.2
17	Prajwalkumar .S.G	317	RSI	43.0	78.2	67.0	87.0	82.6	51.5	60.6	74.0	8.3	18.2	44.4	70.8	70.8
18	Guru Alok.N	318	SRSI	34.5	62.7	68.0	83.0	75.5	53.5	62.9	78.0	7.6	18.9	46.8	73.2	73.2
19	Nagesh.M	319	SRSI	39.0	70.9	66.0	80.0	75.5	50.5	59.4	80.0	7.5	17.8	48.0	73.4	73.4
20	Shekharappa.Mangooni	320	SRSI	29.0	52.7	63.0	84.0	73.5	47.0	55.3	77.0	7.4	16.6	46.2	70.1	70.1
21	Ragavendra.S	321	RSI	41.5	75.5	70.0	24.0	72.7	63.5	74.7	82.0	7.3	22.4	49.2	78.9	78.9
22	Veeranna.S.O	322	SRSI	36.5	66.4	66.0	75.0	70.7	54.5	64.1	74.5	7.1	19.2	44.7	71.0	71.0
23	Ganesh.N.Harikantra	323	RSI	43.5	79.1	73.0	92.0	85.5	64.0	75.3	82.0	8.6	22.6	49.2	80.3	80.3
24	Nagaraj .p. Maladani	324	SRSI	45.0	81.8	75.0	88.0	84.9	62.5	73.5	82.5	8.5	22.1	49.5	80.0	80.0
25	Pradeep.R.N	325	RSI	46.0	83.6	69.0	89.0	86.3	61.5	72.4	84.5	8.6	21.7	50.7	81.0	81.0
26	Chetan.S.Biradar	326	SRSI	36.0	65.5	70.0	85.0	77.5	48.0	56.5	80.5	7.8	16.9	48.3	73.0	73.0
27	Laxman.M.Jaganur	327	RSI	43.0	78.2	59.0	88.0	83.1	54.0	63.5	79.5	8.3	19.1	47.7	75.1	75.1
28	Manjunatha.Maligera	328	SRSI	40.0	72.7	59.0	63.0	67.9	52.0	61.2	77.5	6.8	18.4	46.5	71.6	71.6
29	Jayasingh	329	RSI	38.0	69.1	60.0	79.0	74.0	48.5	57.1	65.5	7.4	17.1	39.3	63.8	63.8
30	Basavaraj.Kelaginamani	330	SRSI	28.0	50.9	60.0	75.0	67.5	40.0	47.1	68.0	6.8	14.1	40.8	61.7	61.7
31	Vinodkumar	331	RSI	44.0	80.0	61.0	82.0	81.0	48.0	56.5	74.5	8.1	16.9	44.7	69.7	69.7
32	Naveen.K.N	332	SRSI	43.5	79.1	60.0	83.0	81.0	52.5	61.8	76.5	8.1	18.5	45.9	72.5	72.5
33	Hanumreddy	333	SRSI	37.5	68.2	61.0	82.0	75.1	45.5	53.5	76.0	7.5	16.1	45.6	69.2	69.2
34	Mallanagouda.S.G	334	RSI	48.0	87.3	65.0	88.0	87.6	60.5	71.2	82.0	8.8	21.4	49.2	79.3	79.3
35	Basavaraj.Attevvagol	335	RSI	46.0	83.6	60.0	85.0	84.3	54.5	64.1	78.0	8.4	19.2	46.8	74.5	74.5
36	Jagadishkumar.Patil	336	SRSI	44.0	80.0	61.0	86.0	83.0	52.0	61.2	77.0	8.3	18.4	46.2	72.9	72.9
37	Lakshmana.G.R	337	SRSI	48.0	87.3	61.0	82.0	84.6	59.5	70.0	81.5	8.5	21.0	48.9	78.4	78.4
38	Ninganna.B.Patil	338	SRSI	35.5	64.5	63.0	77.0	70.8	45.0	52.9	69.5	7.1	15.9	41.7	64.7	64.7
39	Shivaji Agsar	339	RSI	45.5	82.7	61.0	81.0	81.9	60.5	71.2	78.5	8.2	21.4	47.1	76.6	76.6
40	Gireesh.L.Junjuri	340	RSI	39.0	70.9	60.0	89.0	80.0	55.5	65.3	81.0	8.0	19.6	48.6	76.2	76.2
41	Virupaksha Gowda	341	RSI	37.5	68.2	60.0	66.0	67.1	55.0	64.7	81.0	6.7	19.4	48.6	74.7	74.7
42	Basavaraj Asangi	342	RSI	28.0	50.9	61.0	85.0	73.0	62.5	73.5	81.0	7.3	22.1	48.6	78.0	78.0
43	Pradeep Naik	343	RSI	41.0	74.5	61.0	80.0	77.3	56.0	65.9	76.5	7.7	19.8	45.9	73.4	73.4
44	Goudappa Patil	344	RSI	45.0	81.8	62.0	78.0	79.9	50.5	59.4	71.0	8.0	17.8	42.6	68.4	68.4
45	Sharangouda	345	SRSI	39.5	71.8	61.0	76.0	73.9	51.5	60.6	63.5	7.4	18.2	38.1	63.7	63.7
46	Tippayya	346	SRSI	40.0	72.7	63.0	85.0	78.9	50.5	59.4	74.5	7.9	17.8	44.7	70.4	70.4
47	Manjunath H.M.	347	SRSI	36.0	65.5	60.0	83.0	74.2	48.0	56.5	77.5	7.4	16.9	46.5	70.9	70.9
48	Mallana	348	SRSI	43.5	79.1	60.0	88.0	83.5	55.0	64.7	76.5	8.4	19.4	45.9	73.7	73.7
49	Srirangappa.R.	349	RSI	38.0	69.1	62.0	84.0	76.5	44.5	52.4	75.5	7.7	15.7	45.3	68.7	68.7
50	Pavan kumar B Patil	351	RSI	39.5	71.8	59.0	83.0	77.4	53.0	62.4	73.5	7.7	18.7	44.1	70.5	70.5
51	Sangamesh. S.A	352	RSI	43.5	79.1	66.0	89.0	84.0	61.5	72.4	83.5	8.4	21.7	50.1	80.2	80.2
52	Anand.G.B	353	RSI	42.5	77.3	59.0	84.0	80.6	53.5	62.9	73.5	8.1	18.9	44.1	71.0	71.0
53	Hanamant Koujalagi	354	RSI	32.0	58.2	61.0	72.0	66.5	47.0	55.3	66.0	6.7	16.6	39.6	62.8	62.8
54	Shivanand B Kalyani	355	SRSI	42.5	77.3	60.0	75.0	76.1	58.0	68.2	77.0	7.6	20.5	46.2	74.3	74.3
55	Uma.R	356	SRSI	27.5	50.0	62.0	61.0	61.5	40.5	47.6	53.0	6.2	14.3	31.8	52.2	52.2
56	Kumara Palagi	357	SRSI	34.5	62.7	59.0	56.0	60.9	50.0	58.8	73.5	6.1	17.6	44.1	67.8	67.8
57	Manjunath.F.W	358	RSI	40.0	72.7	62.0	84.0	78.4	57.0	67.1	74.0	7.8	20.1	44.4	72.4	72.4
58	Ramu Nayak	359	SRSI	39.0	70.9	60.0	73.0	72.0	52.0	61.2	72.0	7.2	18.4	43.2	68.7	68.7
59	Maruti.MK	360	SRSI	28.0	50.9	60.0	39.0	55.5	36.5	42.9	66.0	5.5	12.9	39.6	58.0	58.0
60	Santosh Lamani	361	SRSI	45.0	81.8	63.0	88.0	84.9	51.5	60.6	79.0	8.5	18.2	47.4	74.1	74.1
61	Jagadish Dalawai	362	RSI	38.5	70.0	62.0	73.0	71.5	54.5	64.1	71.5	7.2	19.2	42.9	69.3	69.3
62	Naveena.T.R	363	SRSI	37.5	68.2	56.0	43.0	62.1	42.5	50.0	75.0	6.2	15.0	45.0	66.2	66.2
63	Shivkumar Naik	364	SRSI	38.5	70.0	59.0	6.0	64.5	58.0	68.2	67.5	6.5	20.5	40.5	67.4	67.4
64	Shivaraja Naik.L	365	RSI	44.5	80.9	62.0	92.0	86.5	63.0	74.1	78.5	8.6	22.2	47.1	78.0	78.0
65	Sanjay.s	366	RSI	44.5	80.9	61.0	90.0	85.5	56.5	66.5	80.0	8.5	19.9	48.0	76.5	76.5
66	Kowshik.B.T	367	RSI	44.0	80.0	59.0	87.0	83.5	61.0	71.8	80.0	8.4	21.5	48.0	77.9	77.9
67	Shivprasad.K	368	SRSI	29.5	53.6	60.0	8.0	56.8	38.0	44.7	59.0	5.7	13.4	35.4	54.5	54.5
68	Govindraju.D	369	SRSI	28.0	50.9	59.0	72.0	65.5	39.0	45.9	53.5	6.6	13.8	32.1	52.4	52.4
69	Shridhar.M.M	370	SRSI	41.5	75.5	0.0	66.0	70.7	58.5	68.8	51.0	7.1	20.6	30.6	58.3	58.3
70	Amogh Wadeyar	371	SRSI	35.0	63.6	57.0	72.0	67.8	43.5	51.2	67.0	6.8	15.4	40.2	62.3	62.3
71	Danesh Kalyani	372	RSI	39.0	70.9	60.0	85.0	78.0	59.5	70.0	77.0	7.8	21.0	46.2	75.0	75.0
72	Ravikumar	373	SRSI	29.5	53.6	59.0	75.0	67.0	40.5	47.6	68.5	6.7	14.3	41.1	62.1	62.1
73	Ramu NZ	374	RSI	39.0	70.9	58.0	79.0	75.0	56.0	65.9	76.5	7.5	19.8	45.9	73.2	73.2
74	Subash Patil	375	SRSI	38.0	69.1	58.0	80.0	74.5	56.0	65.9	75.5	7.5	19.8	45.3	72.5	72.5
75	Shoyab Nadaf	376	SRSI	38.0	69.1	58.0	61.0	65.0	53.0	62.4	75.5	6.5	18.7	45.3	70.5	70.5
76	Naveena NA	377	RSI	44.0	80.0	59.0	87.0	83.5	61.0	71.8	79.5	8.4	21.5	47.7	77.6	77.6
77	Mahesh Patil	378	RSI	46.0	83.6	64.0	93.0	88.3	66.5	78.2	79.5	8.8	23.5	47.7	80.0	80.0
78	Manjunath.Bidarikoppa	379	RSI	29.0	52.7	58.0	73.0	65.5	40.0	47.1	53.0	6.6	14.1	31.8	52.5	52.5
79	Vasu.TR	380	RSI	49.0	89.1	59.0	90.0	89.5	67.0	78.8	87.5	9.0	23.6	52.5	85.1	85.1
80	Veeresha Maggada	381	SRSI	44.0	80.0	58.0	86.0	83.0	51.0	60.0	76.5	8.3	18.0	45.9	72.2	72.2
81	kottaresh.B.Bugati	382	RSI	28.0	50.9	59.0	79.0	69.0	40.5	47.6	69.0	6.9	14.3	41.4	62.6	62.6
82	Channabasavaiah	383	SRSI	38.5	70.0	58.0	87.0	78.5	47.5	55.9	80.0	7.9	16.8	48.0	72.6	72.6
83	Shiddlngappa	384	RSI	37.5	68.2	59.0	86.0	77.1	58.0	68.2	76.0	7.7	20.5	45.6	73.8	73.8
84	Rakesh.S.K	385	SRSI	36.5	66.4	62.0	69.0	67.7	53.5	62.9	66.5	6.8	18.9	39.9	65.6	65.6
85	Puneeth	386	RSI	46.0	83.6	59.0	91.0	87.3	66.5	78.2	80.5	8.7	23.5	48.3	80.5	80.5
86	Shabuddin	387	SRSI	37.5	68.2	58.0	60.0	64.1	51.0	60.0	69.5	6.4	18.0	41.7	66.1	66.1
87	Shanara Nayaka	388	RSI	42.5	77.3	59.0	86.0	81.6	51.5	60.6	77.5	8.2	18.2	46.5	72.8	72.8
88	Mahesh	389	SRSI	43.5	79.1	59.0	87.0	83.0	52.0	61.2	78.0	8.3	18.4	46.8	73.5	73.5
89	Byresh	390	RSI	46.0	83.6	57.0	94.0	88.8	67.0	78.8	91.0	8.9	23.6	54.6	87.1	87.1
90	Sagar Kallannavar	391	SRSI	40.0	72.7	59.0	87.0	79.9	51.5	60.6	77.0	8.0	18.2	46.2	72.4	72.4
91	Kumara.V.C	392	SRSI	36.0	65.5	60.0	78.0	71.7	43.5	51.2	65.0	7.2	15.4	39.0	61.5	61.5
92	Praveen kumar	393	RSI	36.5	66.4	57.0	85.0	75.7	51.5	60.6	81.0	7.6	18.2	48.6	74.3	74.3
93	Nisar Ahamad	394	RSI	45.0	81.8	59.0	90.0	85.9	53.0	62.4	82.5	8.6	18.7	49.5	76.8	76.8
94	Dhanush.C.M	395	SRSI	43.5	79.1	58.0	72.0	75.5	52.0	61.2	76.5	7.6	18.4	45.9	71.8	71.8
95	Mohammad	396	RSI	45.5	82.7	57.0	82.0	82.4	59.5	70.0	75.0	8.2	21.0	45.0	74.2	74.2
96	Ravishankarsarji.Y.S	397	SRSI	35.5	64.5	59.0	67.0	65.8	54.0	63.5	77.0	6.6	19.1	46.2	71.8	71.8
97	Rayappa	398	SRSI	46.0	83.6	60.0	68.0	75.8	59.5	70.0	75.5	7.6	21.0	45.3	73.9	73.9
98	Sudeep	399	SRSI	45.5	82.7	59.0	67.0	74.9	55.0	64.7	78.5	7.5	19.4	47.1	74.0	74.0
99	Tippanna	400	RSI	32.0	58.2	60.0	66.0	63.0	43.0	50.6	51.0	6.3	15.2	30.6	52.1	52.1
100	Ravichandra	401	RSI	38.5	70.0	60.0	70.0	70.0	46.5	54.7	72.5	7.0	16.4	43.5	66.9	66.9
101	Ananda kumar .B	402	RSI	31.0	56.4	57.0	70.0	63.5	44.0	51.8	51.5	6.4	15.5	30.9	52.8	52.8
102	Sangamesh.B	403	SRSI	36.0	65.5	59.0	83.0	74.2	47.0	55.3	75.0	7.4	16.6	45.0	69.0	69.0

Drill 100/50

SL. No	P-1	P-2	P-3	Average	Midterm	Final	P-10%	M-30%	F-60%	Total Weightage	Total Marks Obtained
1	77.0	69.5	70.0	73.5	61.0	74.0	7.35	18.3	44.4	70.1	70.1
2	63.0	68.0	67.0	67.5	61.5	76.5	6.75	18.45	45.9	71.1	71.1
3	63.0	67.0	67.0	67.0	64.5	71.0	6.7	19.35	42.6	68.7	68.7
4	62.0	79.0	68.0	73.5	68.5	73.0	7.35	20.55	43.8	71.7	71.7
5	64.0	79.5	77.0	78.3	74.0	77.5	7.825	22.2	46.5	76.5	76.5
6	66.0	72.0	74.0	73.0	64.5	73.5	7.3	19.35	44.1	70.8	70.8
7	58.0	67.0	46.0	62.5	62.0	74.0	6.25	18.6	44.4	69.3	69.3
8	60.0	62.0	23.0	61.0	74.0	75.5	6.1	22.2	45.3	73.6	73.6
9	69.0	73.0	68.0	71.0	71.0	73.0	7.1	21.3	43.8	72.2	72.2
10	64.0	74.0	69.0	71.5	65.0	73.0	7.15	19.5	43.8	70.5	70.5
11	67.0	76.5	78.0	77.3	66.0	77.5	7.725	19.8	46.5	74.0	74.0
12	66.0	72.0	68.0	70.0	70.0	73.5	7	21	44.1	72.1	72.1
13	63.0	76.0	69.0	72.5	63.0	74.5	7.25	18.9	44.7	70.9	70.9
14	61.0	74.0	70.0	72.0	70.5	74.5	7.2	21.15	44.7	73.1	73.1
15	62.0	72.5	70.0	71.3	65.0	72.0	7.125	19.5	43.2	69.8	69.8
16	63.0	74.5	73.0	73.8	68.0	75.0	7.375	20.4	45	72.8	72.8
17	66.0	70.0	70.0	70.0	60.5	73.5	7	18.15	44.1	69.3	69.3
18	63.0	76.0	71.0	73.5	63.5	76.5	7.35	19.05	45.9	72.3	72.3
19	66.0	71.5	70.0	70.8	68.0	74.0	7.075	20.4	44.4	71.9	71.9
20	65.5	68.5	69.0	68.8	67.5	74.0	6.875	20.25	44.4	71.5	71.5
21	67.0	73.5	23.0	70.3	70.0	75.0	7.025	21	45	73.0	73.0
22	68.0	73.0	70.0	71.5	65.5	74.5	7.15	19.65	44.7	71.5	71.5
23	70.0	78.0	72.0	75.0	69.5	82.0	7.5	20.85	49.2	77.6	77.6
24	75.0	78.5	80.0	79.3	75.5	90.0	7.925	22.65	54	84.6	84.6
25	69.0	76.5	69.0	72.8	69.0	77.0	7.275	20.7	46.2	74.2	74.2
26	66.0	73.5	69.0	71.3	67.5	77.0	7.125	20.25	46.2	73.6	73.6
27	62.0	76.0	71.0	73.5	56.0	69.5	7.35	16.8	41.7	65.9	65.9
28	61.0	71.0	58.0	66.0	61.0	75.0	6.6	18.3	45	69.9	69.9
29	61.0	74.0	78.0	76.0	63.0	75.0	7.6	18.9	45	71.5	71.5
30	63.0	73.0	69.0	71.0	58.0	68.5	7.1	17.4	41.1	65.6	65.6
31	61.0	76.0	75.0	75.5	58.0	69.0	7.55	17.4	41.4	66.4	66.4
32	59.0	76.0	67.0	71.5	67.0	82.0	7.15	20.1	49.2	76.5	76.5
33	60.0	78.0	75.0	76.5	64.0	79.0	7.65	19.2	47.4	74.3	74.3
34	65.0	84.0	83.0	83.5	70.0	77.5	8.35	21	46.5	75.9	75.9
35	64.0	76.0	71.0	73.5	64.0	78.0	7.35	19.2	46.8	73.4	73.4
36	61.0	71.0	74.0	72.5	64.0	79.5	7.25	19.2	47.7	74.2	74.2
37	60.0	82.0	78.0	80.0	65.0	81.5	8	19.5	48.9	76.4	76.4
38	63.0	70.0	70.0	70.0	59.0	83.0	7	17.7	49.8	74.5	74.5
39	61.0	72.0	73.0	72.5	61.0	79.0	7.25	18.3	47.4	73.0	73.0
40	60.0	75.0	73.0	74.0	58.0	81.0	7.4	17.4	48.6	73.4	73.4
41	61.0	75.0	61.0	68.0	65.0	82.0	6.8	19.5	49.2	75.5	75.5
42	62.0	79.0	73.0	76.0	65.0	78.0	7.6	19.5	46.8	73.9	73.9
43	65.0	72.0	72.0	72.0	61.0	73.0	7.2	18.3	43.8	69.3	69.3
44	61.0	75.0	75.0	75.0	65.0	72.0	7.5	19.5	43.2	70.2	70.2
45	63.5	72.0	71.0	71.5	59.0	71.0	7.15	17.7	42.6	67.5	67.5
46	67.0	71.0	75.0	73.0	58.0	73.5	7.3	17.4	44.1	68.8	68.8
47	62.0	76.0	78.0	77.0	67.0	75.5	7.7	20.1	45.3	73.1	73.1
48	66.0	76.0	72.0	74.0	60.0	77.5	7.4	18	46.5	71.9	71.9
49	69.0	82.0	75.0	78.5	60.0	78.5	7.85	18	47.1	73.0	73.0
50	47.0	77.0	73.0	75.0	60.0	71.0	7.5	18	42.6	68.1	68.1
51	64.0	77.0	75.0	76.0	64.0	76.5	7.6	19.2	45.9	72.7	72.7
52	65.0	71.5	68.0	69.8	54.5	73.5	6.975	16.35	44.1	67.4	67.4
53	62.0	68.5	66.0	67.3	52.0	71.0	6.725	15.6	42.6	64.9	64.9
54	63.0	70.0	38.0	66.5	62.0	75.5	6.65	18.6	45.3	70.6	70.6
55	66.0	72.5	69.0	70.8	53.5	77.0	7.075	16.05	46.2	69.3	69.3
56	64.0	76.0	38.0	70.0	60.0	71.5	7	18	42.9	67.9	67.9
57	71.0	75.5	72.0	73.8	61.0	70.5	7.375	18.3	42.3	68.0	68.0
58	67.0	71.0	70.0	70.5	63.0	71.0	7.05	18.9	42.6	68.6	68.6
59	62.0	70.0	31.0	66.0	56.0	68.0	6.6	16.8	40.8	64.2	64.2
60	62.0	75.0	74.0	74.5	61.0	77.5	7.45	18.3	46.5	72.3	72.3
61	70.0	69.5	39.0	69.8	66.0	73.5	6.975	19.8	44.1	70.9	70.9
62	62.0	70.5	13.0	66.3	64.0	69.5	6.625	19.2	41.7	67.5	67.5
63	67.0	75.5	33.0	71.3	66.0	71.5	7.125	19.8	42.9	69.8	69.8
64	67.0	77.0	74.0	75.5	64.0	75.0	7.55	19.2	45	71.8	71.8
65	68.0	84.0	74.0	79.0	55.0	75.5	7.9	16.5	45.3	69.7	69.7
66	67.0	74.0	71.0	72.5	57.0	65.5	7.25	17.1	39.3	63.7	63.7
67	69.0	73.5	23.0	71.3	64.0	71.5	7.125	19.2	42.9	69.2	69.2
68	66.0	72.0	67.0	69.5	62.0	73.0	6.95	18.6	43.8	69.4	69.4
69	67.0	0.0	69.0	68.0	56.0	69.5	6.8	16.8	41.7	65.3	65.3
70	67.0	70.0	67.0	68.5	56.0	69.0	6.85	16.8	41.4	65.1	65.1
71	63.0	78.5	75.0	76.8	66.5	79.5	7.675	19.95	47.7	75.3	75.3
72	73.0	72.0	67.0	72.5	56.0	70.5	7.25	16.8	42.3	66.4	66.4
73	69.0	69.0	67.0	69.0	58.0	70.5	6.9	17.4	42.3	66.6	66.6
74	64.0	70.5	67.0	68.8	57.0	67.0	6.875	17.1	40.2	64.2	64.2
75	68.0	71.0	35.0	69.5	62.0	73.5	6.95	18.6	44.1	69.7	69.7
76	65.0	74.5	57.0	69.8	63.0	74.5	6.975	18.9	44.7	70.6	70.6
77	67.0	83.0	83.0	83.0	65.0	74.5	8.3	19.5	44.7	72.5	72.5
78	64.0	76.0	70.0	73.0	66.0	73.0	7.3	19.8	43.8	70.9	70.9
79	68.0	81.0	74.0	77.5	69.0	78.5	7.75	20.7	47.1	75.6	75.6
80	67.0	73.0	67.0	70.0	61.0	71.5	7	18.3	42.9	68.2	68.2
81	66.0	77.0	70.0	73.5	64.5	73.0	7.35	19.35	43.8	70.5	70.5
82	70.0	72.5	73.0	72.8	67.0	72.0	7.275	20.1	43.2	70.6	70.6
83	67.0	69.0	64.0	68.0	61.0	67.0	6.8	18.3	40.2	65.3	65.3
84	64.0	69.0	70.0	69.5	58.5	66.0	6.95	17.55	39.6	64.1	64.1
85	68.0	77.0	71.0	74.0	61.5	73.0	7.4	18.45	43.8	69.7	69.7
86	67.0	75.0	22.0	71.0	64.0	71.5	7.1	19.2	42.9	69.2	69.2
87	67.0	71.0	69.0	70.0	64.5	72.5	7	19.35	43.5	69.9	69.9
88	66.0	74.0	72.0	73.0	61.0	75.0	7.3	18.3	45	70.6	70.6
89	73.0	83.0	85.0	84.0	72.5	82.5	8.4	21.75	49.5	79.7	79.7
90	64.0	70.0	71.0	70.5	62.5	73.0	7.05	18.75	43.8	69.6	69.6
91	66.0	74.0	68.0	71.0	67.0	68.5	7.1	20.1	41.1	68.3	68.3
92	69.0	72.0	68.0	70.5	63.5	71.0	7.05	19.05	42.6	68.7	68.7
93	66.0	81.0	77.0	79.0	69.0	78.0	7.9	20.7	46.8	75.4	75.4
94	68.5	74.0	69.0	71.5	65.0	76.5	7.15	19.5	45.9	72.6	72.6
95	65.0	76.5	72.0	74.3	63.5	73.5	7.425	19.05	44.1	70.6	70.6
96	68.0	73.0	22.0	70.5	66.5	72.5	7.05	19.95	43.5	70.5	70.5
97	70.0	74.0	46.0	72.0	64.5	75.0	7.2	19.35	45	71.6	71.6
98	67.0	72.0	46.0	69.5	60.0	71.0	6.95	18	42.6	67.6	67.6
99	59.0	70.0	66.0	68.0	58.0	63.5	6.8	17.4	38.1	62.3	62.3
100	61.0	76.0	71.0	73.5	63.5	77.0	7.35	19.05	46.2	72.6	72.6
101	64.0	74.0	69.0	71.5	64.0	76.0	7.15	19.2	45.6	72.0	72.0
102	63.0	80.0	73.0	76.5	67.5	79.5	7.65	20.25	47.7	75.6	75.6

Lathi & Riot control 100/50

SL. No	P-1	P-1 converted to 100	P-2	P-3	Average	Midterm	Final	P-10%	M-30%	F-60%	Total Weightage	Total Marks Obtained
1	14.0	56.0	74	62.0	68	65.0	77.0	6.8	19.5	46.2	72.5	72.5
2	14.0	56.0	74	65.0	69.5	63.0	72.0	7.0	18.9	43.2	69.1	69.1
3	14.0	56.0	76	62.0	69	65.0	72.0	6.9	19.5	43.2	69.6	69.6
4	12.5	50.0	78	74.0	76	72.0	80.0	7.6	21.6	48	77.2	77.2
5	16.0	64.0	81	75.0	78	79.0	83.0	7.8	23.7	49.8	81.3	81.3
6	14.0	56.0	75	72.0	73.5	66.0	72.0	7.4	19.8	43.2	70.4	70.4
7	12.5	50.0	74	66.0	70	59.0	70.0	7.0	17.7	42	66.7	66.7
8	16.5	66.0	74	73.0	73.5	62.0	76.0	7.4	18.6	45.6	71.6	71.6
9	14.0	56.0	74	67.0	70.5	67.0	75.0	7.1	20.1	45	72.2	72.2
10	15.5	62.0	78	68.0	73	64.0	77.0	7.3	19.2	46.2	72.7	72.7
11	14.0	56.0	81	76.0	78.5	62.0	78.5	7.9	18.6	47.1	73.6	73.6
12	16.0	64.0	73	66.0	69.5	67.0	73.0	7.0	20.1	43.8	70.9	70.9
13	12.5	50.0	72	64.0	68	67.0	75.0	6.8	20.1	45	71.9	71.9
14	15.0	60.0	72	68.0	70	67.0	73.0	7.0	20.1	43.8	70.9	70.9
15	14.0	56.0	74	66.0	70	62.0	75.0	7.0	18.6	45	70.6	70.6
16	15.5	62.0	74	71.0	72.5	69.0	73.0	7.3	20.7	43.8	71.8	71.8
17	16.5	66.0	73	70.0	71.5	65.0	72.0	7.2	19.5	43.2	69.9	69.9
18	14.0	56.0	73	67.0	70	67.0	73.0	7.0	20.1	43.8	70.9	70.9
19	15.8	63.0	73	72.0	72.5	65.0	75.0	7.3	19.5	45	71.8	71.8
20	14.0	56.0	72	72.0	72	69.0	72.0	7.2	20.7	43.2	71.1	71.1
21	18.0	72.0	72	72.0	72	71.0	70.0	7.2	21.3	42	70.5	70.5
22	15.5	62.0	73	70.0	71.5	74.0	69.0	7.2	22.2	41.4	70.8	70.8
23	18.0	72.0	72	74.0	73	73.0	76.0	7.3	21.9	45.6	74.8	74.8
24	19.0	76.0	77	82.0	79.5	80.0	78.0	8.0	24.0	46.8	78.8	78.8
25	15.0	60.0	77	68.0	72.5	73.0	73.0	7.3	21.9	43.8	73.0	73.0
26	17.0	68.0	77	68.0	72.5	67.0	71.0	7.3	20.1	42.6	70.0	70.0
27	14.0	56.0	75	67.0	71	64.5	73.0	7.1	19.4	43.8	70.3	70.3
28	14.5	58.0	76	73.0	74.5	69.5	73.0	7.5	20.9	43.8	72.1	72.1
29	13.0	52.0	74	78.0	76	71.0	76.0	7.6	21.3	45.6	74.5	74.5
30	12.5	50.0	75	66.0	70.5	65.0	71.0	7.1	19.5	42.6	69.2	69.2
31	12.5	50.0	74	73.0	73.5	68.0	73.0	7.4	20.4	43.8	71.6	71.6
32	13.5	54.0	77	77.0	77	66.5	75.0	7.7	20.0	45	72.7	72.7
33	14.0	56.0	81	80.0	80.5	65.0	80.0	8.1	19.5	48	75.6	75.6
34	17.5	70.0	84	89.0	86.5	78.0	81.0	8.7	23.4	48.6	80.7	80.7
35	14.0	56.0	77	74.0	75.5	68.5	74.0	7.6	20.6	44.4	72.5	72.5
36	17.5	70.0	76	77.0	76.5	69.0	72.0	7.7	20.7	43.2	71.6	71.6
37	15.5	62.0	82	84.0	83	70.0	76.0	8.3	21.0	45.6	74.9	74.9
38	14.0	56.0	81	76.0	78.5	65.0	77.0	7.9	19.5	46.2	73.6	73.6
39	14.0	56.0	80	74.0	77	65.5	74.0	7.7	19.7	44.4	71.8	71.8
40	14.0	56.0	76	72.0	74	69.0	75.0	7.4	20.7	45	73.1	73.1
41	15.5	62.0	81	77.0	79	66.5	72.0	7.9	20.0	43.2	71.1	71.1
42	14.5	58.0	76	73.0	74.5	62.0	78.0	7.5	18.6	46.8	72.9	72.9
43	16.5	66.0	74	74.0	74	63.5	75.0	7.4	19.1	45	71.5	71.5
44	14.3	57.0	80	74.0	77	64.0	75.0	7.7	19.2	45	71.9	71.9
45	17.0	68.0	76.5	68.0	72.25	65.5	74.0	7.2	19.7	44.4	71.3	71.3
46	15.0	60.0	75.5	73.0	74.25	60.5	73.0	7.4	18.2	43.8	69.4	69.4
47	16.5	66.0	81	74.0	77.5	66.5	71.0	7.8	20.0	42.6	70.3	70.3
48	16.0	64.0	76	73.0	74.5	66.5	74.0	7.5	20.0	44.4	71.8	71.8
49	16.0	64.0	78	85.0	81.5	69.0	74.0	8.2	20.7	44.4	73.3	73.3
50	14.0	56.0	79	80.0	79.5	65.0	72.0	8.0	19.5	43.2	70.7	70.7
51	15.5	62.0	81	79.0	80	67.5	77.0	8.0	20.3	46.2	74.5	74.5
52	15.0	60.0	74	66.0	70	70.0	70.0	7.0	21.0	42	70.0	70.0
53	14.5	58.0	75	63.0	69	60.0	70.0	6.9	18.0	42	66.9	66.9
54	15.5	62.0	75	71.0	73	76.0	76.0	7.3	22.8	45.6	75.7	75.7
55	16.5	66.0	80	60.0	73	62.0	69.0	7.3	18.6	41.4	67.3	67.3
56	16.5	66.0	74	69.0	71.5	67.0	69.0	7.2	20.1	41.4	68.7	68.7
57	15.5	62.0	78	79.0	78.5	67.0	70.0	7.9	20.1	42	70.0	70.0
58	16.5	66.0	78	74.0	76	66.0	69.0	7.6	19.8	41.4	68.8	68.8
59	13.0	52.0	75	62.0	68.5	61.0	69.0	6.9	18.3	41.4	66.6	66.6
60	17.5	70.0	82	68.0	76	70.0	73.0	7.6	21.0	43.8	72.4	72.4
61	14.5	58.0	77	66.0	71.5	66.0	72.0	7.2	19.8	43.2	70.2	70.2
62	16.5	66.0	75	68.0	71.5	62.0	72.0	7.2	18.6	43.2	69.0	69.0
63	15.5	62.0	81	77.0	79	75.0	72.0	7.9	22.5	43.2	73.6	73.6
64	16.0	64.0	77	73.0	75	72.0	73.0	7.5	21.6	43.8	72.9	72.9
65	17.0	68.0	84.5	76.0	80.25	71.0	75.0	8.0	21.3	45	74.3	74.3
66	15.5	62.0	80	75.0	77.5	68.0	70.0	7.8	20.4	42	70.2	70.2
67	15.0	60.0	75	69.0	72	60.0	70.0	7.2	18.0	42	67.2	67.2
68	17.0	68.0	74	65.0	71	62.0	70.0	7.1	18.6	42	67.7	67.7
69	16.5	66.0	0	61.0	63.5	66.0	70.0	6.4	19.8	42	68.2	68.2
70	14.5	58.0	75	62.0	68.5	64.0	69.0	6.9	19.2	41.4	67.5	67.5
71	17.0	68.0	76	76.0	76	71.0	76.0	7.6	21.3	45.6	74.5	74.5
72	16.5	66.0	76	59.0	71	64.0	69.0	7.1	19.2	41.4	67.7	67.7
73	14.0	56.0	75	67.0	71	67.0	69.0	7.1	20.1	41.4	68.6	68.6
74	15.5	62.0	74	68.0	71	68.0	70.0	7.1	20.4	42	69.5	69.5
75	15.0	60.0	77	65.0	71	66.0	75.0	7.1	19.8	45	71.9	71.9
76	16.5	66.0	75	68.0	71.5	57.0	72.0	7.2	17.1	43.2	67.5	67.5
77	17.5	70.0	84	86.0	85	71.0	76.0	8.5	21.3	45.6	75.4	75.4
78	16.5	66.0	79	76.0	77.5	73.0	72.0	7.8	21.9	43.2	72.9	72.9
79	15.5	62.0	74	67.0	70.5	75.5	72.0	7.1	22.7	43.2	72.9	72.9
80	16.0	64.0	75	63.0	69.5	59.5	73.0	7.0	17.9	43.8	68.6	68.6
81	17.0	68.0	80	73.0	76.5	64.5	71.0	7.7	19.4	42.6	69.6	69.6
82	15.5	62.0	80	71.0	75.5	66.5	73.0	7.6	20.0	43.8	71.3	71.3
83	15.0	60.0	75	64.0	69.5	63.5	72.0	7.0	19.1	43.2	69.2	69.2
84	15.5	62.0	73	63.0	68	66.5	72.0	6.8	20.0	43.2	70.0	70.0
85	14.0	56.0	80	73.0	76.5	68.5	72.0	7.7	20.6	43.2	71.4	71.4
86	14.0	56.0	73	68.0	70.5	66.0	72.0	7.1	19.8	43.2	70.1	70.1
87	14.0	56.0	76	70.0	73	67.0	72.0	7.3	20.1	43.2	70.6	70.6
88	15.5	62.0	75	72.0	73.5	68.0	72.0	7.4	20.4	43.2	71.0	71.0
89	14.0	56.0	83	90.0	86.5	82.0	76.0	8.7	24.6	45.6	78.9	78.9
90	15.5	62.0	73	69.0	71	65.0	76.0	7.1	19.5	45.6	72.2	72.2
91	16.5	66.0	79	64.0	72.5	68.0	75.0	7.3	20.4	45	72.7	72.7
92	14.0	56.0	73	62.0	67.5	69.5	76.0	6.8	20.9	45.6	73.2	73.2
93	15.8	63.0	80	72.0	76	74.0	72.0	7.6	22.2	43.2	73.0	73.0
94	14.0	56.0	75	66.0	70.5	62.5	75.0	7.1	18.8	45	70.8	70.8
95	18.0	72.0	76	69.0	74	65.5	73.0	7.4	19.7	43.8	70.9	70.9
96	15.5	62.0	74	63.0	68.5	66.5	71.0	6.9	20.0	42.6	69.4	69.4
97	14.0	56.0	81	76.0	78.5	65.0	73.0	7.9	19.5	43.8	71.2	71.2
98	16.0	64.0	75	69.0	72	67.0	72.0	7.2	20.1	43.2	70.5	70.5
99	12.5	50.0	75	61.0	68	61.0	67.0	6.8	18.3	40.2	65.3	65.3
100	15.0	60.0	75	67.0	71	64.0	73.0	7.1	19.2	43.8	70.1	70.1
101	14.0	56.0	75	61.0	68	63.0	73.0	6.8	18.9	43.8	69.5	69.5
102	14.0	56.0	80	73.0	76.5	70.0	72.0	7.7	21.0	43.2	71.9	71.9

Field Craft 100/50

SL. No	P-3	Final	P-10%	F-90%	Total Wightage	Total Marks Obtained
1	58.0	77.0	5.8	69.3	75.1	75.1
2	64.0	71.0	6.4	63.9	70.3	70.3
3	57.0	67.0	5.7	60.3	66.0	66.0
4	63.0	75.0	6.3	67.5	73.8	73.8
5	64.0	69.0	6.4	62.1	68.5	68.5
6	63.0	75.0	6.3	67.5	73.8	73.8
7	56.0	61.0	5.6	54.9	60.5	60.5
8	62.0	59.0	6.2	53.1	59.3	59.3
9	60.0	73.0	6	65.7	71.7	71.7
10	58.0	63.0	5.8	56.7	62.5	62.5
11	66.0	74.0	6.6	66.6	73.2	73.2
12	61.0	74.0	6.1	66.6	72.7	72.7
13	59.0	62.0	5.9	55.8	61.7	61.7
14	58.0	73.0	5.8	65.7	71.5	71.5
15	61.0	71.0	6.1	63.9	70.0	70.0
16	61.0	69.0	6.1	62.1	68.2	68.2
17	61.0	59.0	6.1	53.1	59.2	59.2
18	63.0	72.0	6.3	64.8	71.1	71.1
19	67.0	70.0	6.7	63.0	69.7	69.7
20	61.0	70.0	6.1	63.0	69.1	69.1
21	61.0	77.0	6.1	69.3	75.4	75.4
22	58.0	67.0	5.8	60.3	66.1	66.1
23	64.0	74.0	6.4	66.6	73.0	73.0
24	64.0	77.0	6.4	69.3	75.7	75.7
25	65.0	70.0	6.5	63.0	69.5	69.5
26	59.0	72.0	5.9	64.8	70.7	70.7
27	57.0	77.0	5.7	69.3	75.0	75.0
28	59.0	69.0	5.9	62.1	68.0	68.0
29	62.0	64.0	6.2	57.6	63.8	63.8
30	57.0	60.0	5.7	54.0	59.7	59.7
31	59.0	77.0	5.9	69.3	75.2	75.2
32	65.0	69.0	6.5	62.1	68.6	68.6
33	66.0	71.0	6.6	63.9	70.5	70.5
34	70.0	73.0	7	65.7	72.7	72.7
35	65.0	74.0	6.5	66.6	73.1	73.1
36	63.0	77.0	6.3	69.3	75.6	75.6
37	66.0	73.0	6.6	65.7	72.3	72.3
38	61.0	72.0	6.1	64.8	70.9	70.9
39	60.0	76.0	6	68.4	74.4	74.4
40	62.0	65.0	6.2	58.5	64.7	64.7
41	65.0	72.0	6.5	64.8	71.3	71.3
42	66.0	74.0	6.6	66.6	73.2	73.2
43	61.0	74.0	6.1	66.6	72.7	72.7
44	0.0	63.0	0	56.7	56.7	56.7
45	61.0	68.0	6.1	61.2	67.3	67.3
46	63.0	73.0	6.3	65.7	72.0	72.0
47	62.0	72.0	6.2	64.8	71.0	71.0
48	59.0	70.0	5.9	63.0	68.9	68.9
49	60.0	75.0	6	67.5	73.5	73.5
50	61.0	65.0	6.1	58.5	64.6	64.6
51	63.0	74.0	6.3	66.6	72.9	72.9
52	59.0	74.0	5.9	66.6	72.5	72.5
53	57.0	68.0	5.7	61.2	66.9	66.9
54	0.0	66.0	0	59.4	59.4	59.4
55	56.0	67.0	5.6	60.3	65.9	65.9
56	0.0	72.0	0	64.8	64.8	64.8
57	59.0	75.0	5.9	67.5	73.4	73.4
58	58.0	72.0	5.8	64.8	70.6	70.6
59	54.0	73.0	5.4	65.7	71.1	71.1
60	58.0	73.0	5.8	65.7	71.5	71.5
61	0.0	72.0	0	64.8	64.8	64.8
62	0.0	72.0	0	64.8	64.8	64.8
63	59.0	77.0	5.9	69.3	75.2	75.2
64	55.0	73.5	5.5	66.2	71.7	71.7
65	71.0	75.0	7.1	67.5	74.6	74.6
66	60.0	73.0	6	65.7	71.7	71.7
67	54.0	63.0	5.4	56.7	62.1	62.1
68	57.0	60.0	5.7	54.0	59.7	59.7
69	53.0	60.0	5.3	54.0	59.3	59.3
70	58.0	65.5	5.8	59.0	64.8	64.8
71	68.0	75.5	6.8	68.0	74.8	74.8
72	0.0	68.0	0	61.2	61.2	61.2
73	62.0	73.0	6.2	65.7	71.9	71.9
74	58.0	75.0	5.8	67.5	73.3	73.3
75	65.0	67.0	6.5	60.3	66.8	66.8
76	59.0	62.0	5.9	55.8	61.7	61.7
77	72.0	75.5	7.2	68.0	75.2	75.2
78	61.0	73.0	6.1	65.7	71.8	71.8
79	64.0	77.0	6.4	69.3	75.7	75.7
80	52.0	71.0	5.2	63.9	69.1	69.1
81	58.0	78.0	5.8	70.2	76.0	76.0
82	63.0	78.0	6.3	70.2	76.5	76.5
83	62.0	65.0	6.2	58.5	64.7	64.7
84	59.0	66.0	5.9	59.4	65.3	65.3
85	64.0	79.0	6.4	71.1	77.5	77.5
86	57.0	64.0	5.7	57.6	63.3	63.3
87	68.0	65.0	6.8	58.5	65.3	65.3
88	66.0	74.0	6.6	66.6	73.2	73.2
89	64.0	75.0	6.4	67.5	73.9	73.9
90	66.0	73.0	6.6	65.7	72.3	72.3
91	63.0	63.0	6.3	56.7	63.0	63.0
92	60.0	67.0	6	60.3	66.3	66.3
93	64.0	76.0	6.4	68.4	74.8	74.8
94	59.0	67.0	5.9	60.3	66.2	66.2
95	55.0	77.0	5.5	69.3	74.8	74.8
96	65.0	64.0	6.5	57.6	64.1	64.1
97	0.0	67.0	0	60.3	60.3	60.3
98	0.0	69.0	0	62.1	62.1	62.1
99	59.0	73.0	5.9	65.7	71.6	71.6
100	62.0	76.0	6.2	68.4	74.6	74.6
101	61.0	63.0	6.1	56.7	62.8	62.8
102	68.0	79.0	6.8	71.1	77.9	77.9

Miscellaneous 50/25

SL. No	P-2	P-3	p-2 converted to 100	p-3 Converted to 100	Average	Midterm	Mid Converted to 100	Final	P-10%	M-30%	F-60%	Total Weightage	Total Marks Obtained
1	25.5	31.0	63.8	62.0	62.9	7.0	70.0	36.5	6.3	21	43.8	71.1	35.5
2	24.5	28.0	61.3	56.0	58.6	8.0	80.0	32.0	5.9	24	38.4	68.3	34.1
3	24.0	33.0	60.0	66.0	63.0	8.0	80.0	34.5	6.3	24	41.4	71.7	35.9
4	24.0	34.0	60.0	68.0	64.0	8.0	80.0	40.0	6.4	24	48	78.4	39.2
5	26.0	31.0	65.0	62.0	63.5	7.5	75.0	38.0	6.4	22.5	45.6	74.5	37.2
6	25.0	29.0	62.5	58.0	60.3	7.5	75.0	38.0	6.0	22.5	45.6	74.1	37.1
7	26.0	33.0	65.0	66.0	65.5	7.5	75.0	34.5	6.6	22.5	41.4	70.5	35.2
8	26.0	34.0	65.0	68.0	66.5	7.5	75.0	41.0	6.7	22.5	49.2	78.4	39.2
9	26.5	34.0	66.3	68.0	67.1	9.0	90.0	36.0	6.7	27	43.2	76.9	38.5
10	26.0	33.0	65.0	66.0	65.5	8.5	85.0	38.0	6.6	25.5	45.6	77.7	38.8
11	28.5	35.0	71.3	70.0	70.6	8.0	80.0	40.5	7.1	24	48.6	79.7	39.8
12	25.0	35.0	62.5	70.0	66.3	7.5	75.0	38.5	6.6	22.5	46.2	75.3	37.7
13	25.0	39.0	62.5	78.0	70.3	6.5	65.0	36.5	7.0	19.5	43.8	70.3	35.2
14	25.0	36.0	62.5	72.0	67.3	8.5	85.0	36.0	6.7	25.5	43.2	75.4	37.7
15	24.0	29.0	60.0	58.0	59.0	7.0	70.0	35.5	5.9	21	42.6	69.5	34.8
16	24.5	33.0	61.3	66.0	63.6	9.0	90.0	41.5	6.4	27	49.8	83.2	41.6
17	22.0	29.0	55.0	58.0	56.5	8.0	80.0	31.5	5.7	24	37.8	67.5	33.7
18	24.0	38.0	60.0	76.0	68.0	8.5	85.0	37.0	6.8	25.5	44.4	76.7	38.4
19	25.5	38.0	63.8	76.0	69.9	8.5	85.0	39.0	7.0	25.5	46.8	79.3	39.6
20	27.0	36.0	67.5	72.0	69.8	8.0	80.0	37.5	7.0	24	45	76.0	38.0
21	24.5	31.0	61.3	62.0	61.6	8.5	85.0	33.0	6.2	25.5	39.6	71.3	35.6
22	24.0	33.0	60.0	66.0	63.0	7.5	75.0	42.0	6.3	22.5	50.4	79.2	39.6
23	24.5	38.0	61.3	76.0	68.6	8.0	80.0	40.5	6.9	24	48.6	79.5	39.7
24	24.5	37.0	61.3	74.0	67.6	9.0	90.0	46.0	6.8	27	55.2	89.0	44.5
25	25.5	35.0	63.8	70.0	66.9	8.0	80.0	41.0	6.7	24	49.2	79.9	39.9
26	24.5	35.0	61.3	70.0	65.6	7.5	75.0	40.0	6.6	22.5	48	77.1	38.5
27	26.5	37.0	66.3	74.0	70.1	5.5	55.0	38.5	7.0	16.5	46.2	69.7	34.9
28	24.5	11.0	61.3	22.0	41.6	5.0	50.0	37.0	4.2	15	44.4	63.6	31.8
29	25.0	31.0	62.5	62.0	62.3	6.5	65.0	33.5	6.2	19.5	40.2	65.9	33.0
30	25.5	38.0	63.8	76.0	69.9	5.5	55.0	36.0	7.0	16.5	43.2	66.7	33.3
31	26.5	37.0	66.3	74.0	70.1	5.0	50.0	35.5	7.0	15	42.6	64.6	32.3
32	25.0	36.0	62.5	72.0	67.3	5.5	55.0	41.0	6.7	16.5	49.2	72.4	36.2
33	25.0	38.0	62.5	76.0	69.3	5.5	55.0	38.0	6.9	16.5	45.6	69.0	34.5
34	25.5	39.0	63.8	78.0	70.9	7.0	70.0	42.0	7.1	21	50.4	78.5	39.2
35	24.5	36.0	61.3	72.0	66.6	5.0	50.0	37.0	6.7	15	44.4	66.1	33.0
36	23.0	35.0	57.5	70.0	63.8	5.5	55.0	37.0	6.4	16.5	44.4	67.3	33.6
37	26.0	41.0	65.0	82.0	73.5	5.0	50.0	37.0	7.4	15	44.4	66.8	33.4
38	24.0	37.0	60.0	74.0	67.0	5.0	50.0	35.5	6.7	15	42.6	64.3	32.2
39	26.0	37.0	65.0	74.0	69.5	6.0	60.0	36.5	7.0	18	43.8	68.8	34.4
40	24.5	39.0	61.3	78.0	69.6	6.0	60.0	37.5	7.0	18	45	70.0	35.0
41	25.5	7.0	63.8	14.0	38.9	6.0	60.0	37.0	3.9	18	44.4	66.3	33.1
42	25.5	38.0	63.8	76.0	69.9	5.5	55.0	36.0	7.0	16.5	43.2	66.7	33.3
43	24.0	37.0	60.0	74.0	67.0	5.0	50.0	36.5	6.7	15	43.8	65.5	32.8
44	28.0	32.0	70.0	64.0	67.0	6.0	60.0	42.0	6.7	18	50.4	75.1	37.6
45	25.0	37.0	62.5	74.0	68.3	5.0	50.0	33.5	6.8	15	40.2	62.0	31.0
46	24.5	34.0	61.3	68.0	64.6	6.0	60.0	40.0	6.5	18	48	72.5	36.2
47	26.0	29.0	65.0	58.0	61.5	5.5	55.0	32.5	6.2	16.5	39	61.7	30.8
48	25.0	37.0	62.5	74.0	68.3	6.0	60.0	37.5	6.8	18	45	69.8	34.9
49	27.5	37.0	68.8	74.0	71.4	6.0	60.0	40.0	7.1	18	48	73.1	36.6
50	23.5	34.0	58.8	68.0	63.4	5.0	50.0	38.5	6.3	15	46.2	67.5	33.8
51	26.5	35.0	66.3	70.0	68.1	5.5	55.0	38.5	6.8	16.5	46.2	69.5	34.8
52	26.5	31.0	66.3	62.0	64.1	7.0	70.0	37.0	6.4	21	44.4	71.8	35.9
53	25.0	32.0	62.5	64.0	63.3	5.0	50.0	36.0	6.3	15	43.2	64.5	32.3
54	26.5	10.0	66.3	20.0	43.1	5.0	50.0	39.0	4.3	15	46.8	66.1	33.1
55	29.5	34.0	73.8	68.0	70.9	6.0	60.0	33.5	7.1	18	40.2	65.3	32.6
56	28.5	13.0	71.3	26.0	48.6	6.0	60.0	37.5	4.9	18	45	67.9	33.9
57	31.5	35.0	78.8	70.0	74.4	5.0	50.0	40.5	7.4	15	48.6	71.0	35.5
58	26.5	32.0	66.3	64.0	65.1	6.0	60.0	38.5	6.5	18	46.2	70.7	35.4
59	25.5	31.0	63.8	62.0	62.9	5.0	50.0	36.0	6.3	15	43.2	64.5	32.2
60	25.0	35.0	62.5	70.0	66.3	5.0	50.0	35.5	6.6	15	42.6	64.2	32.1
61	25.5	12.0	63.8	24.0	43.9	5.0	50.0	37.5	4.4	15	45	64.4	32.2
62	27.0	31.0	67.5	62.0	64.8	6.0	60.0	36.5	6.5	18	43.8	68.3	34.1
63	28.5	34.0	71.3	68.0	69.6	6.0	60.0	39.5	7.0	18	47.4	72.4	36.2
64	27.5	32.0	68.8	64.0	66.4	6.0	60.0	38.0	6.6	18	45.6	70.2	35.1
65	29.5	36.0	73.8	72.0	72.9	6.0	60.0	39.5	7.3	18	47.4	72.7	36.3
66	26.5	34.0	66.3	68.0	67.1	7.0	70.0	38.5	6.7	21	46.2	73.9	37.0
67	28.0	30.0	70.0	60.0	65.0	6.0	60.0	35.0	6.5	18	42	66.5	33.3
68	28.5	34.0	71.3	68.0	69.6	5.0	50.0	34.5	7.0	15	41.4	63.4	31.7
69	25.5	28.0	63.8	56.0	59.9	6.0	60.0	32.0	6.0	18	38.4	62.4	31.2
70	28.5	31.0	71.3	62.0	66.6	5.0	50.0	41.0	6.7	15	49.2	70.9	35.4
71	28.0	37.0	70.0	74.0	72.0	7.0	70.0	39.5	7.2	21	47.4	75.6	37.8
72	28.5	10.0	71.3	20.0	45.6	7.0	70.0	42.5	4.6	21	51	76.6	38.3
73	27.0	30.0	67.5	60.0	63.8	5.0	50.0	31.5	6.4	15	37.8	59.2	29.6
74	26.5	32.0	66.3	64.0	65.1	7.0	70.0	39.0	6.5	21	46.8	74.3	37.2
75	27.5	27.0	68.8	54.0	61.4	6.0	60.0	38.5	6.1	18	46.2	70.3	35.2
76	28.5	29.0	71.3	58.0	64.6	5.0	50.0	35.5	6.5	15	42.6	64.1	32.0
77	31.5	35.0	78.8	70.0	74.4	7.0	70.0	42.0	7.4	21	50.4	78.8	39.4
78	20.5	31.0	51.3	62.0	56.6	7.0	70.0	34.5	5.7	21	41.4	68.1	34.0
79	26.0	37.0	65.0	74.0	69.5	7.0	70.0	42.5	7.0	21	51	79.0	39.5
80	25.0	36.0	62.5	72.0	67.3	5.5	55.0	37.0	6.7	16.5	44.4	67.6	33.8
81	27.0	30.0	67.5	60.0	63.8	6.0	60.0	34.0	6.4	18	40.8	65.2	32.6
82	26.0	32.0	65.0	64.0	64.5	6.0	60.0	32.5	6.5	18	39	63.5	31.7
83	26.5	37.0	66.3	74.0	70.1	6.0	60.0	34.5	7.0	18	41.4	66.4	33.2
84	25.0	31.0	62.5	62.0	62.3	5.5	55.0	31.0	6.2	16.5	37.2	59.9	30.0
85	26.0	36.0	65.0	72.0	68.5	5.5	55.0	38.5	6.9	16.5	46.2	69.6	34.8
86	25.5	10.0	63.8	20.0	41.9	6.0	60.0	37.5	4.2	18	45	67.2	33.6
87	25.0	32.0	62.5	64.0	63.3	6.5	65.0	37.5	6.3	19.5	45	70.8	35.4
88	25.0	36.0	62.5	72.0	67.3	8.0	80.0	41.0	6.7	24	49.2	79.9	40.0
89	26.5	38.0	66.3	76.0	71.1	9.5	95.0	45.0	7.1	28.5	54	89.6	44.8
90	25.5	33.0	63.8	66.0	64.9	8.0	80.0	41.5	6.5	24	49.8	80.3	40.1
91	24.5	34.0	61.3	68.0	64.6	7.5	75.0	38.5	6.5	22.5	46.2	75.2	37.6
92	24.0	38.0	60.0	76.0	68.0	7.5	75.0	40.0	6.8	22.5	48	77.3	38.7
93	26.0	36.0	65.0	72.0	68.5	8.0	80.0	40.0	6.9	24	48	78.9	39.4
94	25.0	35.0	62.5	70.0	66.3	7.5	75.0	36.5	6.6	22.5	43.8	72.9	36.5
95	25.5	36.0	63.8	72.0	67.9	7.5	75.0	37.0	6.8	22.5	44.4	73.7	36.8
96	26.5	10.0	66.3	20.0	43.1	7.5	75.0	35.5	4.3	22.5	42.6	69.4	34.7
97	25.5	35.0	63.8	70.0	66.9	6.5	65.0	41.0	6.7	19.5	49.2	75.4	37.7
98	27.5	37.0	68.8	74.0	71.4	6.5	65.0	38.0	7.1	19.5	45.6	72.2	36.1
99	27.0	35.0	67.5	70.0	68.8	6.5	65.0	41.0	6.9	19.5	49.2	75.6	37.8
100	27.0	34.0	67.5	68.0	67.8	7.0	70.0	39.0	6.8	21	46.8	74.6	37.3
101	27.0	36.0	67.5	72.0	69.8	7.0	70.0	36.0	7.0	21	43.2	71.2	35.6
102	28.5	35.0	71.3	70.0	70.6	9.0	90.0	37.5	7.1	27	45	79.1	39.5

UAC 50/25

SL. No	P-2	P-3	P-2 converted to 100	P-3 Converted to 100	Average	Midterm	Mid Converted to 100	Final	P-10%	M-30%	F-60%	Total Weightage	Total Marks Obtained
1	17.0	36.0	68.0	72.0	70.0	15.0	60.0	26.0	7	18	31.2	56.2	28.1
2	19.0	34.0	76.0	68.0	72.0	16.5	66.0	25.0	7.2	19.8	30	57	28.5
3	18.0	36.0	72.0	72.0	72.0	17.5	70.0	27.0	7.2	21	32.4	60.6	30.3
4	19.0	36.0	76.0	72.0	74.0	17.0	68.0	27.0	7.4	20.4	32.4	60.2	30.1
5	16.0	37.0	64.0	74.0	69.0	17.5	70.0	28.0	6.9	21	33.6	61.5	30.8
6	17.0	37.0	68.0	74.0	71.0	17.0	68.0	28.0	7.1	20.4	33.6	61.1	30.6
7	17.0	37.0	68.0	74.0	71.0	16.5	66.0	26.0	7.1	19.8	31.2	58.1	29.1
8	19.0	0.0	76.0	0.0	38.0	16.5	66.0	26.0	3.8	19.8	31.2	54.8	27.4
9	17.0	0.0	68.0	0.0	34.0	16.5	66.0	31.0	3.4	19.8	37.2	60.4	30.2
10	17.5	37.0	70.0	74.0	72.0	17.5	70.0	29.0	7.2	21	34.8	63	31.5
11	19.0	37.0	76.0	74.0	75.0	16.0	64.0	32.0	7.5	19.2	38.4	65.1	32.6
12	18.0	37.0	72.0	74.0	73.0	17.5	70.0	26.0	7.3	21	31.2	59.5	29.8
13	17.0	37.0	68.0	74.0	71.0	17.0	68.0	25.0	7.1	20.4	30	57.5	28.8
14	17.0	36.0	68.0	72.0	70.0	17.5	70.0	25.0	7	21	30	58	29.0
15	18.0	36.0	72.0	72.0	72.0	17.0	68.0	25.0	7.2	20.4	30	57.6	28.8
16	18.0	36.0	72.0	72.0	72.0	15.0	60.0	27.0	7.2	18	32.4	57.6	28.8
17	16.0	37.0	64.0	74.0	69.0	16.5	66.0	25.0	6.9	19.8	30	56.7	28.4
18	17.0	37.0	68.0	74.0	71.0	16.5	66.0	26.0	7.1	19.8	31.2	58.1	29.1
19	19.0	37.0	76.0	74.0	75.0	17.5	70.0	28.0	7.5	21	33.6	62.1	31.1
20	19.0	37.0	76.0	74.0	75.0	16.5	66.0	25.0	7.5	19.8	30	57.3	28.7
21	17.0	0.0	68.0	0.0	34.0	17.5	70.0	25.0	3.4	21	30	54.4	27.2
22	17.0	36.0	68.0	72.0	70.0	17.5	70.0	28.0	7	21	33.6	61.6	30.8
23	19.0	36.0	76.0	72.0	74.0	17.0	68.0	30.0	7.4	20.4	36	63.8	31.9
24	19.5	39.0	78.0	78.0	78.0	17.5	70.0	31.0	7.8	21	37.2	66	33.0
25	18.0	36.0	72.0	72.0	72.0	15.5	62.0	25.0	7.2	18.6	30	55.8	27.9
26	18.0	36.0	72.0	72.0	72.0	16.5	66.0	25.0	7.2	19.8	30	57	28.5
27	18.0	34.0	72.0	68.0	70.0	14.5	58.0	25.0	7	17.4	30	54.4	27.2
28	17.0	0.0	68.0	0.0	34.0	15.0	60.0	25.0	3.4	18	30	51.4	25.7
29	14.0	37.0	56.0	74.0	65.0	17.5	70.0	25.0	6.5	21	30	57.5	28.8
30	14.0	36.0	56.0	72.0	64.0	15.0	60.0	28.0	6.4	18	33.6	58	29.0
31	14.0	36.0	56.0	72.0	64.0	16.5	66.0	26.0	6.4	19.8	31.2	57.4	28.7
32	12.5	36.0	50.0	72.0	61.0	17.5	70.0	25.0	6.1	21	30	57.1	28.6
33	13.0	36.0	52.0	72.0	62.0	17.5	70.0	27.0	6.2	21	32.4	59.6	29.8
34	18.5	37.0	74.0	74.0	74.0	18.0	72.0	28.0	7.4	21.6	33.6	62.6	31.3
35	13.0	37.0	52.0	74.0	63.0	17.5	70.0	25.0	6.3	21	30	57.3	28.7
36	12.5	37.0	50.0	74.0	62.0	17.5	70.0	26.0	6.2	21	31.2	58.4	29.2
37	13.0	37.0	52.0	74.0	63.0	17.5	70.0	30.0	6.3	21	36	63.3	31.7
38	14.0	34.0	56.0	68.0	62.0	17.5	70.0	25.0	6.2	21	30	57.2	28.6
39	13.0	36.0	52.0	72.0	62.0	17.5	70.0	25.0	6.2	21	30	57.2	28.6
40	15.0	34.0	60.0	68.0	64.0	17.5	70.0	25.0	6.4	21	30	57.4	28.7
41	13.0	0.0	52.0	0.0	26.0	17.5	70.0	27.0	2.6	21	32.4	56	28.0
42	12.5	36.0	50.0	72.0	61.0	18.5	74.0	27.0	6.1	22.2	32.4	60.7	30.4
43	13.0	34.0	52.0	68.0	60.0	17.5	70.0	25.0	6	21	30	57	28.5
44	12.5	36.0	50.0	72.0	61.0	17.5	70.0	25.0	6.1	21	30	57.1	28.6
45	16.0	34.0	64.0	68.0	66.0	18.5	74.0	25.0	6.6	22.2	30	58.8	29.4
46	16.0	37.0	64.0	74.0	69.0	17.5	70.0	27.0	6.9	21	32.4	60.3	30.2
47	12.5	36.0	50.0	72.0	61.0	17.5	70.0	25.0	6.1	21	30	57.1	28.6
48	13.0	36.0	52.0	72.0	62.0	18.5	74.0	25.0	6.2	22.2	30	58.4	29.2
49	13.0	36.0	52.0	72.0	62.0	18.5	74.0	27.0	6.2	22.2	32.4	60.8	30.4
50	13.0	37.0	52.0	74.0	63.0	17.5	70.0	26.0	6.3	21	31.2	58.5	29.3
51	13.5	36.0	54.0	72.0	63.0	18.0	72.0	26.0	6.3	21.6	31.2	59.1	29.6
52	15.0	34.0	60.0	68.0	64.0	15.0	60.0	25.0	6.4	18	30	54.4	27.2
53	15.0	34.0	60.0	68.0	64.0	15.0	60.0	25.0	6.4	18	30	54.4	27.2
54	16.0	0.0	64.0	0.0	32.0	15.5	62.0	29.0	3.2	18.6	34.8	56.6	28.3
55	17.0	32.0	68.0	64.0	66.0	15.0	60.0	25.0	6.6	18	30	54.6	27.3
56	17.0	0.0	68.0	0.0	34.0	15.0	60.0	25.0	3.4	18	30	51.4	25.7
57	19.0	36.0	76.0	72.0	74.0	15.5	62.0	28.0	7.4	18.6	33.6	59.6	29.8
58	17.0	34.0	68.0	68.0	68.0	16.0	64.0	30.0	6.8	19.2	36	62	31.0
59	15.0	34.0	60.0	68.0	64.0	13.5	54.0	27.0	6.4	16.2	32.4	55	27.5
60	14.0	36.0	56.0	72.0	64.0	15.5	62.0	27.0	6.4	18.6	32.4	57.4	28.7
61	17.0	0.0	68.0	0.0	34.0	14.5	58.0	30.0	3.4	17.4	36	56.8	28.4
62	15.0	0.0	60.0	0.0	30.0	14.5	58.0	25.0	3	17.4	30	50.4	25.2
63	13.0	36.0	52.0	72.0	62.0	15.0	60.0	27.0	6.2	18	32.4	56.6	28.3
64	13.0	37.0	52.0	74.0	63.0	15.5	62.0	34.0	6.3	18.6	40.8	65.7	32.9
65	14.0	36.0	56.0	72.0	64.0	16.0	64.0	32.0	6.4	19.2	38.4	64	32.0
66	16.0	37.0	64.0	74.0	69.0	16.0	64.0	27.0	6.9	19.2	32.4	58.5	29.3
67	17.0	36.0	68.0	72.0	70.0	16.0	64.0	26.0	7	19.2	31.2	57.4	28.7
68	16.0	34.0	64.0	68.0	66.0	13.5	54.0	25.0	6.6	16.2	30	52.8	26.4
69	0.0	34.0	0.0	68.0	34.0	15.0	60.0	28.0	3.4	18	33.6	55	27.5
70	15.0	34.0	60.0	68.0	64.0	13.5	54.0	27.0	6.4	16.2	32.4	55	27.5
71	17.0	36.0	68.0	72.0	70.0	15.0	60.0	30.0	7	18	36	61	30.5
72	18.0	0.0	72.0	0.0	36.0	13.5	54.0	32.0	3.6	16.2	38.4	58.2	29.1
73	16.0	36.0	64.0	72.0	68.0	15.0	60.0	28.0	6.8	18	33.6	58.4	29.2
74	15.0	34.0	60.0	68.0	64.0	14.0	56.0	28.0	6.4	16.8	33.6	56.8	28.4
75	17.0	36.0	68.0	72.0	70.0	15.0	60.0	26.0	7	18	31.2	56.2	28.1
76	17.0	36.0	68.0	72.0	70.0	13.5	54.0	30.0	7	16.2	36	59.2	29.6
77	20.5	39.0	82.0	78.0	80.0	16.0	64.0	31.0	8	19.2	37.2	64.4	32.2
78	17.0	34.0	68.0	68.0	68.0	17.0	68.0	28.0	6.8	20.4	33.6	60.8	30.4
79	17.0	37.0	68.0	74.0	71.0	17.0	68.0	31.0	7.1	20.4	37.2	64.7	32.4
80	17.0	36.0	68.0	72.0	70.0	17.5	70.0	25.0	7	21	30	58	29.0
81	20.0	37.0	80.0	74.0	77.0	17.5	70.0	26.0	7.7	21	31.2	59.9	30.0
82	17.0	37.0	68.0	74.0	71.0	16.0	64.0	31.0	7.1	19.2	37.2	63.5	31.8
83	17.0	34.0	68.0	68.0	68.0	16.5	66.0	27.0	6.8	19.8	32.4	59	29.5
84	16.0	36.0	64.0	72.0	68.0	17.5	70.0	25.0	6.8	21	30	57.8	28.9
85	19.0	36.0	76.0	72.0	74.0	17.5	70.0	28.0	7.4	21	33.6	62	31.0
86	19.0	0.0	76.0	0.0	38.0	17.5	70.0	28.0	3.8	21	33.6	58.4	29.2
87	15.0	36.0	60.0	72.0	66.0	16.0	64.0	28.0	6.6	19.2	33.6	59.4	29.7
88	16.0	34.0	64.0	68.0	66.0	17.5	70.0	26.0	6.6	21	31.2	58.8	29.4
89	20.0	39.0	80.0	78.0	79.0	16.5	66.0	30.0	7.9	19.8	36	63.7	31.9
90	15.0	36.0	60.0	72.0	66.0	16.5	66.0	25.0	6.6	19.8	30	56.4	28.2
91	19.0	30.0	76.0	60.0	68.0	17.5	70.0	25.0	6.8	21	30	57.8	28.9
92	17.0	34.0	68.0	68.0	68.0	17.5	70.0	27.0	6.8	21	32.4	60.2	30.1
93	20.0	36.0	80.0	72.0	76.0	17.0	68.0	25.0	7.6	20.4	30	58	29.0
94	19.0	34.0	76.0	68.0	72.0	16.5	66.0	25.0	7.2	19.8	30	57	28.5
95	20.0	36.0	80.0	72.0	76.0	17.0	68.0	28.0	7.6	20.4	33.6	61.6	30.8
96	15.0	0.0	60.0	0.0	30.0	15.0	60.0	25.0	3	18	30	51	25.5
97	16.0	0.0	64.0	0.0	32.0	17.0	68.0	28.0	3.2	20.4	33.6	57.2	28.6
98	16.0	0.0	64.0	0.0	32.0	17.5	70.0	28.0	3.2	21	33.6	57.8	28.9
99	16.0	34.0	64.0	68.0	66.0	17.5	70.0	25.0	6.6	21	30	57.6	28.8
100	20.0	34.0	80.0	68.0	74.0	17.5	70.0	25.0	7.4	21	30	58.4	29.2
101	17.0	34.0	68.0	68.0	68.0	17.5	70.0	25.0	6.8	21	30	57.8	28.9
102	18.0	36.0	72.0	72.0	72.0	17.5	70.0	25.0	7.2	21	30	58.2	29.1

Weapon Training 320/160

SL. No	P-1	P-2	P-1 Converted to 320	P-2 Converted to 320	P-3	Average	Average Converted to 100	Midterm	Mid Converted to 100	Final	Final Converted to 100	P-10%	M-30%	F-60%	Total Weightage	Total Marks Obtained	Grand total Obtained Marks 820/410	Result Pass/Fail
1	91.0	140.0	234.8	172.2	221.0	227.9	71.2	188.2	58.8	165.5	51.7	7.1	17.6	31.0	55.8	178.5	521.7	Pass
2	58.0	172.0	149.6	211.6	217.0	214.3	67.0	175.0	54.7	176.0	55.0	6.7	16.4	33.0	56.1	179.5	525.1	Pass
3	51.0	179.0	131.6	220.2	200.0	210.1	65.7	169.0	52.8	178.0	55.6	6.6	15.8	33.4	55.8	178.5	522.3	Pass
4	78.0	162.0	201.2	199.3	214.0	207.6	64.9	171.3	53.5	220.0	68.8	6.5	16.1	41.3	63.8	204.2	569.7	Pass
5	64.0	199.0	165.1	244.8	255.0	249.9	78.1	196.3	61.4	254.5	79.5	7.8	18.4	47.7	73.9	236.6	606.0	Pass
6	69.0	193.5	178.0	238.0	224.0	231.0	72.2	174.0	54.4	173.5	54.2	7.2	16.3	32.5	56.1	179.4	535.5	Pass
7	76.0	182.5	196.1	224.5	96.0	210.3	65.7	189.7	59.3	209.0	65.3	6.6	17.8	39.2	63.5	203.3	528.8	Pass
8	78.0	189.0	201.2	232.5	229.0	230.7	72.1	177.0	55.3	206.0	64.4	7.2	16.6	38.6	62.4	199.8	543.6	Pass
9	87.0	201.0	224.5	247.2	222.0	235.8	73.7	181.0	56.6	226.0	70.6	7.4	17.0	42.4	66.7	213.5	570.4	Pass
10	80.0	174.5	206.4	214.6	213.0	213.8	66.8	176.7	55.2	200.0	62.5	6.7	16.6	37.5	60.7	194.4	540.6	Pass
11	47.0	212.0	121.3	260.8	242.0	251.4	78.6	188.0	58.8	242.0	75.6	7.9	17.6	45.4	70.9	226.7	601.3	Pass
12	68.0	159.5	175.4	196.2	224.0	210.1	65.7	182.3	57.0	207.5	64.8	6.6	17.1	38.9	62.6	200.2	546.3	Pass
13	48.0	186.0	123.8	228.8	218.0	223.4	69.8	144.3	45.1	204.0	63.8	7.0	13.5	38.3	58.8	188.0	527.8	Pass
14	73.0	183.0	188.3	225.1	213.0	219.0	68.5	177.0	55.3	175.0	54.7	6.8	16.6	32.8	56.3	180.0	531.0	Pass
15	75.0	125.5	193.5	154.4	198.0	195.8	61.2	163.0	50.9	191.0	59.7	6.1	15.3	35.8	57.2	183.1	520.3	Pass
16	70.0	179.0	180.6	220.2	213.0	216.6	67.7	189.0	59.1	184.0	57.5	6.8	17.7	34.5	59.0	188.8	545.1	Pass
17	58.0	173.0	149.6	212.8	192.0	202.4	63.2	130.3	40.7	217.5	68.0	6.3	12.2	40.8	59.3	189.8	521.1	Pass
18	46.0	182.0	118.7	223.9	212.0	217.9	68.1	142.3	44.5	210.0	65.6	6.8	13.3	39.4	59.5	190.5	545.4	Pass
19	60.0	176.5	154.8	217.1	220.0	218.5	68.3	166.7	52.1	211.0	65.9	6.8	15.6	39.6	62.0	198.5	555.8	Pass
20	61.0	189.0	157.4	232.5	208.0	220.2	68.8	203.7	63.6	227.0	70.9	6.9	19.1	42.6	68.5	219.3	567.8	Pass
21	93.0	190.5	239.9	234.3	216.0	237.1	74.1	190.0	59.4	166.0	51.9	7.4	17.8	31.1	56.3	180.3	541.0	Pass
22	37.0	191.5	95.5	235.5	231.0	233.3	72.9	147.3	46.0	205.5	64.2	7.3	13.8	38.5	59.6	190.8	540.6	Pass
23	79.0	182.5	203.8	224.5	215.0	219.7	68.7	197.3	61.7	246.5	77.0	6.9	18.5	46.2	71.6	229.1	606.4	Pass
24	65.0	214.0	167.7	263.2	221.0	242.1	75.7	195.0	60.9	287.0	89.7	7.6	18.3	53.8	79.7	254.9	651.5	Pass
25	89.0	182.5	229.6	224.5	235.0	232.3	72.6	204.0	63.8	208.5	65.2	7.3	19.1	39.1	65.5	209.5	575.0	Pass
26	65.0	181.0	167.7	222.6	232.0	227.3	71.0	200.7	62.7	235.5	73.6	7.1	18.8	44.2	70.1	224.2	578.5	Pass
27	62.0	179.5	160.0	220.8	229.0	224.9	70.3	150.7	47.1	203.0	63.4	7.0	14.1	38.1	59.2	189.5	537.7	Pass
28	93.0	153.5	239.9	188.8	248.0	244.0	76.2	196.0	61.3	213.5	66.7	7.6	18.4	40.0	66.0	211.3	550.4	Pass
29	71.0	152.0	183.2	187.0	253.0	220.0	68.7	208.7	65.2	213.0	66.6	6.9	19.6	39.9	66.4	212.4	547.7	Pass
30	75.0	213.0	193.5	262.0	269.0	265.5	83.0	200.7	62.7	269.0	84.1	8.3	18.8	50.4	77.5	248.1	566.6	Pass
31	36.0	167.0	92.9	205.4	244.0	224.7	70.2	177.0	55.3	194.0	60.6	7.0	16.6	36.4	60.0	192.0	535.8	Pass
32	63.0	161.0	162.5	198.0	235.0	216.5	67.7	199.7	62.4	200.0	62.5	6.8	18.7	37.5	63.0	201.6	556.5	Pass
33	68.0	189.0	175.4	232.5	250.0	241.2	75.4	203.0	63.4	221.5	69.2	7.5	19.0	41.5	68.1	217.9	571.7	Pass
34	91.0	202.0	234.8	248.5	233.0	241.6	75.5	207.3	64.8	220.5	68.9	7.6	19.4	41.3	68.3	218.7	597.7	Pass
35	72.0	155.0	185.8	190.7	213.0	201.8	63.1	207.0	64.7	183.0	57.2	6.3	19.4	34.3	60.0	192.1	547.2	Pass
36	100.0	186.0	258.0	228.8	235.0	246.5	77.0	209.0	65.3	194.5	60.8	7.7	19.6	36.5	63.8	204.1	561.0	Pass
37	73.0	200.0	188.3	246.0	224.0	235.0	73.4	206.0	64.4	177.5	55.5	7.3	19.3	33.3	59.9	191.8	558.8	Pass
38	58.0	172.5	149.6	212.2	217.0	214.6	67.1	203.7	63.6	186.5	58.3	6.7	19.1	35.0	60.8	194.5	538.8	Pass
39	43.0	184.0	110.9	226.3	228.0	227.2	71.0	202.0	63.1	199.5	62.3	7.1	18.9	37.4	63.4	203.0	561.7	Pass
40	65.0	171.5	167.7	210.9	225.0	218.0	68.1	174.0	54.4	204.0	63.8	6.8	16.3	38.3	61.4	196.4	547.5	Pass
41	92.0	184.0	237.4	226.3	238.0	237.7	74.3	211.3	66.0	241.0	75.3	7.4	19.8	45.2	72.4	231.8	585.5	Pass
42	76.0	200.5	196.1	246.6	249.0	247.8	77.4	210.3	65.7	239.0	74.7	7.7	19.7	44.8	72.3	231.3	592.9	Pass
43	60.0	182.5	154.8	224.5	236.0	230.2	71.9	208.7	65.2	201.5	63.0	7.2	19.6	37.8	64.5	206.5	554.6	Pass
44	82.0	185.5	211.6	228.2	242.0	235.1	73.5	195.3	61.0	227.5	71.1	7.3	18.3	42.7	68.3	218.6	551.9	Pass
45	68.0	159.5	175.4	196.2	230.0	213.1	66.6	206.0	64.4	209.5	65.5	6.7	19.3	39.3	65.3	208.8	538.9	Pass
46	61.0	181.0	157.4	222.6	234.0	228.3	71.3	204.3	63.9	204.5	63.9	7.1	19.2	38.3	64.6	206.8	553.8	Pass
47	95.0	176.0	245.1	216.5	242.0	243.6	76.1	201.3	62.9	225.0	70.3	7.6	18.9	42.2	68.7	219.8	564.4	Pass
48	74.0	178.0	190.9	218.9	235.0	227.0	70.9	184.7	57.7	192.5	60.2	7.1	17.3	36.1	60.5	193.6	544.0	Pass
49	61.0	183.5	157.4	225.7	225.0	225.4	70.4	205.3	64.2	213.0	66.6	7.0	19.3	39.9	66.2	211.9	567.3	Pass
50	79.0	181.5	203.8	223.2	256.0	239.6	74.9	207.3	64.8	205.0	64.1	7.5	19.4	38.4	65.4	209.2	546.1	Pass
51	86.0	183.0	221.9	225.1	241.0	233.0	72.8	204.0	63.8	228.5	71.4	7.3	19.1	42.8	69.3	221.6	586.2	Pass
52	59.0	161.0	152.2	198.0	216.0	207.0	64.7	165.7	51.8	214.5	67.0	6.5	15.5	40.2	62.2	199.1	543.2	Pass
53	69.0	125.0	178.0	153.8	205.0	191.5	59.8	221.0	69.1	176.5	55.2	6.0	20.7	33.1	59.8	191.4	512.4	Pass
54	65.0	161.5	167.7	198.6	86.0	183.2	57.2	173.0	54.1	181.0	56.6	5.7	16.2	33.9	55.9	178.8	520.1	Pass
55	61.0	149.0	157.4	183.3	188.0	185.6	58.0	138.3	43.2	185.0	57.8	5.8	13.0	34.7	53.5	171.1	485.8	Pass
56	70.0	184.0	180.6	226.3	90.0	203.5	63.6	211.3	66.0	215.5	67.3	6.4	19.8	40.4	66.6	213.0	541.9	Pass
57	81.0	181.0	209.0	222.6	246.0	234.3	73.2	221.0	69.1	213.5	66.7	7.3	20.7	40.0	68.1	217.8	566.8	Pass
58	76.0	160.0	196.1	196.8	233.0	214.9	67.2	222.3	69.5	256.5	80.2	6.7	20.8	48.1	75.7	242.1	585.1	Pass
59	75.0	156.0	193.5	191.9	186.0	192.7	60.2	207.3	64.8	212.0	66.3	6.0	19.4	39.8	65.2	208.7	528.3	Pass
60	87.0	183.0	224.5	225.1	221.0	224.8	70.2	192.0	60.0	240.5	75.2	7.0	18.0	45.1	70.1	224.4	575.4	Pass
61	73.0	184.5	188.3	226.9	100.0	207.6	64.9	208.3	65.1	229.0	71.6	6.5	19.5	42.9	69.0	220.7	556.4	Pass
62	80.0	156.0	206.4	191.9	237.0	221.7	69.3	207.7	64.9	204.5	63.9	6.9	19.5	38.3	64.7	207.2	534.0	Pass
63	63.0	178.0	162.5	218.9	222.0	220.5	68.9	193.0	60.3	206.0	64.4	6.9	18.1	38.6	63.6	203.5	554.1	Pass
64	78.0	173.0	201.2	212.8	239.0	225.9	70.6	221.7	69.3	234.5	73.3	7.1	20.8	44.0	71.8	229.8	592.0	Pass
65	79.0	213.0	203.8	262.0	238.0	250.0	78.1	223.3	69.8	242.5	75.8	7.8	20.9	45.5	74.2	237.5	601.0	Pass
66	43.0	137.5	110.9	169.1	204.0	186.6	58.3	184.3	57.6	185.5	58.0	5.8	17.3	34.8	57.9	185.3	534.8	Pass
67	47.0	166.0	121.3	204.2	197.0	200.6	62.7	196.7	61.5	182.0	56.9	6.3	18.4	34.1	58.8	188.3	503.2	Pass
68	79.0	163.0	203.8	200.5	218.0	210.9	65.9	194.7	60.8	183.0	57.2	6.6	18.3	34.3	59.2	189.3	496.5	Pass
69	56.0	75.0	144.5	92.3	211.0	177.7	55.5	188.0	58.8	225.0	70.3	5.6	17.6	42.2	65.4	209.2	518.9	Pass
70	65.0	155.0	167.7	190.7	213.0	201.8	63.1	201.7	63.0	229.0	71.6	6.3	18.9	42.9	68.2	218.1	540.6	Pass
71	70.0	194.0	180.6	238.6	217.0	227.8	71.2	205.3	64.2	234.0	73.1	7.1	19.3	43.9	70.2	224.8	592.7	Pass
72	75.0	188.0	193.5	231.2	95.0	212.4	66.4	214.3	67.0	223.5	69.8	6.6	20.1	41.9	68.6	219.6	544.4	Pass
73	85.0	157.5	219.3	193.7	209.0	214.2	66.9	177.3	55.4	191.0	59.7	6.7	16.6	35.8	59.1	189.2	528.3	Pass
74	59.0	161.0	152.2	198.0	201.0	199.5	62.3	191.3	59.8	197.5	61.7	6.2	17.9	37.0	61.2	195.9	540.9	Pass
75	68.0	180.0	175.4	221.4	230.0	225.7	70.5	193.0	60.3	244.0	76.3	7.1	18.1	45.8	70.9	226.9	569.0	Pass
76	69.0	187.0	178.0	230.0	228.0	229.0	71.6	203.0	63.4	238.0	74.4	7.2	19.0	44.6	70.8	226.6	565.5	Pass
77	97.0	205.0	250.3	252.2	264.0	258.1	80.6	221.7	69.3	209.0	65.3	8.1	20.8	39.2	68.0	217.7	592.4	Pass
78	68.0	164.0	175.4	201.7	219.0	210.4	65.7	202.3	63.2	245.5	76.7	6.6	19.0	46.0	71.6	229.0	561.5	Pass
79	80.0	167.5	206.4	206.0	221.0	213.7	66.8	202.7	63.3	228.5	71.4	6.7	19.0	42.8	68.5	219.3	600.3	Pass
80	55.0	172.5	141.9	212.2	208.0	210.1	65.7	199.5	62.3	191.0	59.7	6.6	18.7	35.8	61.1	195.5	536.4	Pass
81	63.0	187.0	162.5	230.0	228.0	229.0	71.6	196.5	61.4	188.5	58.9	7.2	18.4	35.3	60.9	195.0	536.2	Pass
82	64.0	164.0	165.1	201.7	213.0	207.4	64.8	183.7	57.4	180.0	56.3	6.5	17.2	33.8	57.4	183.8	538.3	Pass
83	49.0	177.0	126.4	217.7	255.0	236.4	73.9	203.0	63.4	209.0	65.3	7.4	19.0	39.2	65.6	209.9	545.6	Pass
84	78.0	114.0	201.2	140.2	202.0	201.6	63.0	194.3	60.7	196.0	61.3	6.3	18.2	36.8	61.3	196.1	519.8	Pass
85	61.0	173.0	157.4	212.8	233.0	222.9	69.7	199.0	62.2	203.0	63.4	7.0	18.7	38.1	63.7	203.8	568.6	Pass
86	78.0	171.5	201.2	210.9	209.0	210.0	65.6	184.0	57.5	190.0	59.4	6.6	17.3	35.6	59.4	190.2	521.7	Pass
87	55.0	170.5	141.9	209.7	200.0	204.9	64.0	205.0	64.1	207.5	64.8	6.4	19.2	38.9	64.5	206.5	550.2	Pass
88	84.0	166.5	216.7	204.8	229.0	222.9	69.6	199.5	62.3	245.5	76.7	7.0	18.7	46.0	71.7	229.4	587.0	Pass
89	67.0	209.5	172.9	257.7	234.0	245.8	76.8	221.5	69.2	267.0	83.4	7.7	20.8	50.1	78.5	251.2	647.4	Pass
90	66.0	159.0	170.3	195.6	224.0	209.8	65.6	216.2	67.6	217.0	67.8	6.6	20.3	40.7	67.5	216.0	570.8	Pass
91	69.0	166.0	178.0	204.2	214.0	209.1	65.3	207.5	64.8	190.5	59.5	6.5	19.5	35.7	61.7	197.5	529.4	Pass
92	52.0	163.0	134.2	200.5	221.0	210.7	65.9	173.7	54.3	206.0	64.4	6.6	16.3	38.6	61.5	196.8	548.1	Pass
93	42.0	187.0	108.4	230.0	218.0	224.0	70.0	215.7	67.4	215.0	67.2	7.0	20.2	40.3	67.5	216.1	584.5	Pass
94	70.0	174.5	180.6	214.6	222.0	218.3	68.2	217.2	67.9	223.0	69.7	6.8	20.4	41.8	69.0	220.8	567.1	Pass
95	74.0	136.0	190.9	167.3	226.0	208.5	65.1	219.3	68.5	198.0	61.9	6.5	20.6	37.1	64.2	205.4	563.6	Pass
96	57.0	168.0	147.1	206.6	233.0	219.8	68.7	216.7	67.7	214.0	66.9	6.9	20.3	40.1	67.3	215.4	551.4	Pass
97	75.0	167.0	193.5	205.4	212.0	208.7	65.2	197.2	61.6	211.5	66.1	6.5	18.5	39.7	64.7	206.9	550.1	Pass
98	46.0	168.0	118.7	206.6	223.0	214.8	67.1	201.0	62.8	237.5	74.2	6.7	18.8	44.5	70.1	224.3	563.4	Pass
99	67.0	171.0	172.9	210.3	218.0	214.2	66.9	212.7	66.5	193.0	60.3	6.7	19.9	36.2	62.8	201.0	518.9	Pass
100	76.0	183.0	196.1	225.1	225.0	225.0	70.3	202.7	63.3	194.0	60.6	7.0	19.0	36.4	62.4	199.7	550.4	Pass
101	76.0	169.0	196.1	207.9	227.0	217.4	67.9	217.5	68.0	219.5	68.6	6.8	20.4	41.2	68.3	218.7	540.2	Pass
102	64.0	177.0	165.1	217.7	224.0	220.9	69.0	216.2	67.6	207.5	64.8	6.9	20.3	38.9	66.1	211.4	574.4	Pass